

**MOBILE COUNTY COMMISSION**

205 Government Street 8<sup>TH</sup> FL, South  
Mobile, Alabama 36644

BID INVITATION

NO. 20-26

MARCH 24, 2026

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items:

**FOOD SERVICE EQUIPMENT FOR THE RIVERSIDE CAFÉ & GRILL AT ESCATAWPA HOLLOW PARK & CAMPGROUND FOR THE MOBILE COUNTY ENVIRONMENTAL SERVICES DEPARTMENT AS PER-ATTACHED SPECIFICATIONS:**

Any questions or comments concerning the bid requirements must be brought to the attention of S. Matthew Jones, Deputy Environmental Services Director, at 251-574-3229 or matthew.jones@mobilecountyal.gov prior to the bid opening, or will be forever waived.

Out-of-state corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out-of-state limited liability companies shall furnish proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provides proof of E-Verify enrollment prior to the award of a contract. (See enclosed notice, which must be completed, signed, and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at mobilecountyal.gov.

**THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN, RELIGION, OR DISABILITIES.**

F.O.B. Mobile DATE OF DELIVERY \_\_\_\_\_ TERMS \_\_\_\_\_ You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation from them must, in detail, establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. April 8, 2026.

**ALL BIDS MUST BE SEALED, "BID NUMBER, COMPANY'S NAME, AND NAME OF THE BID ITEM MARKED ON THE OUTSIDE OF THE ENVELOPE." THE BIDDER WILL RETURN THE ENTIRE BID PACKAGE. BIDS MUST BE DELIVERED TO THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET, ON THE EIGHTH FLOOR, SOUTH TOWER OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.**

MOBILE COUNTY COMMISSION

  
E. Edwin Keri, County Administrator

We propose to meet the above specifications for the sum of

\$ see attached list.

Delivery can be made in \_\_\_\_\_ days from receipt of order.

RESPECTFULLY

BY \_\_\_\_\_



**IMPORTANT**

**THIS DOCUMENT MUST BE COMPLETED,  
SIGNED AND RETURNED WITH YOUR BID**

As a condition for the award of a competitively bid contract to a company having one or more employees in the State of Alabama, the Beason-Hammon Alabama Taxpayer Citizenship and Protection Act, codified at Section 31-13-1, et seq., Code of Alabama (1975), as amended, requires that the company provide, in advance, proof of enrollment in E-Verify. E-Verify is an internet based system operated by the U.S. Department of Homeland Security, which may be used to determine the eligibility of new hires to work in the United States. Further information about enrollment in E-Verify may be found at [www.uscis.gov/everify](http://www.uscis.gov/everify) and [www.Verify.Alabama.gov](http://www.Verify.Alabama.gov).

As proof of enrollment in E-Verify, Mobile County requires a copy of the electronically signed signature page of the contractor's Memorandum of Understanding with the U.S. Department of Homeland Security or Alabama Department of Homeland Security (contractors having fewer than 25 employees may enroll in E-Verify through the state Department of Homeland Security).

Please complete the following and return with your bid:

\_\_\_\_\_ (company name) has no employees in the  
State of Alabama

Or

\_\_\_\_\_ (company name) is enrolled in E-Verify and a  
copy of the electronically signed signature page of the company's Memorandum of Understanding is  
attached.

\_\_\_\_\_ Date

\_\_\_\_\_ Signature

\_\_\_\_\_ Title

# E-Verify



Company ID Number: 477763

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

<b>Employer Mobile County Commission</b>	
<b>Connie Hudson</b> Name (Please Type or Print)	Title
<b>Electronically Signed</b> Signature	12/21/2011 Date
<b>Department of Homeland Security - Verification Division</b>	
<b>USCIS Verification Division</b>	
Name (Please Type or Print)	Title
<b>Electronically Signed</b> Signature	12/21/2011 Date

<b>Information Required for the E-Verify Program</b>	
<b>Information relating to your Company:</b>	
Company Name:	Mobile County Commission
Company Facility Address:	205 Government Street
	9th Floor South Tower
	Mobile, AL 36644
Company Alternate Address:	
County or Parish:	MOBILE
Employer Identification Number:	636001644

Date: \_\_\_\_\_

BID #20-26

*FOOD SERVICE EQUIPMENT FOR THE RIVERSIDE CAFÉ & GRILL AT ESCATAWPA  
HOLLOW PARK AND CAMPGROUND FOR THE MOBILE COUNTY ENVIRONMENTAL  
SERVICES DEPARTMENT.*

**Name of Company:** \_\_\_\_\_

**Company Representative** \_\_\_\_\_  
(Print)

**Company Representative** \_\_\_\_\_  
(Signature)

**Address** \_\_\_\_\_

---

**Phone number** (    ) \_\_\_\_\_      **Fax number** (    ) \_\_\_\_\_

**Federal ID Number** \_\_\_\_\_

**Email Address** \_\_\_\_\_

**Company Web Address** \_\_\_\_\_

**PLEASE ATTACH A COPY OF YOUR CURRENT W9**

# FOOD SERVICE EQUIPMENT

## General Specifications

This bid is for the procurement of specified food service equipment to be delivered to the following location:

*Riverside Cafe & Grill at Escatawpa Hollow Park & Campground,  
15551 Moffett Road, Wilmer, AL 36587.*

For each specified type of food service equipment, if bidding on an equivalent item, include the manufacturer's model number and all relevant accessories.

Submit maintenance manuals containing operation, maintenance, and parts information for all food service equipment.

Installers must be experienced and specialize in installing food service equipment.

Please note that the delivery address does not have a dock or a lift gate.

**The bid price must include delivery, uncrating, assembly if required, setup, and removal of packing materials. The County Commission will perform all necessary plumbing and electrical connections.**

Installation of shelving and similar items will be performed by the County Commission.

Item No	Description	Unit	Quantity	Unit Cost	Total Bid
1	<b>SANDWICH / SALAD PREPARATION REFRIGERATOR</b> - Migali Industries Model No. C-SP27-8-HC Competitor Series® Refrigerated Counter/Sandwich Prep Table, single section, 27.5" W, 6.5 cu. ft. capacity, rear mount self-contained refrigeration, accommodates (8) 1/6 size pans (not included), (1) solid hinged door, (1) shelf, 9-1/4" deep cutting board, adapter bars (included), digital controller/display, (+33° to +41°), forced air cooling, stainless steel exterior & interior, (4) 6" casters (2 locking), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 3.3 amps, NEMA 5-15P, cETLus, ETL-Sanitation Migali® Protection Plan: 2 year parts & labor warranty, 5 year compressor warranty, standard - Equal or equivalent item will be considered.	Each	1		
2	<b>SANDWICH / SALAD PREPARATION REFRIGERATOR</b> - Migali Industries Model No. C-SP48-12-HC Competitor Series® Refrigerated Counter/Sandwich Prep Table, two-section, 48.2" W, 12.0 cu. ft. capacity, rear mount self-contained refrigeration, accommodates (12) 1/6 size pans (not included), (2) solid hinged doors, (2) shelves, 9-1/4" deep cutting board, adapter bars (included), digital controller/display, (+33° to +41°), forced air cooling, stainless steel exterior & interior, (4) 6" casters (2 locking), R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.1 amps, NEMA 5-15P, cETLus, ETL-Sanitation Migali® Protection Plan: 2 year parts & labor warranty, 5 year compressor warranty, standard - Equal or equivalent item will be considered.	Each	1		
3	<b>SHELVING, WALL MOUNTED</b> - Atosa USA, Inc. Model No. SSWS-1296 MixRite Shelf, wall-mounted, 96"W x 12"D x 10"H, 18/304 stainless steel, NSF, KD - Equal or equivalent item will be considered.	Each	4		
4	<b>WIRE SHELVING</b> - Winco Model No. VEX-1448 Packed 2 ea Shelf, 48" x 14", includes (4) sleeve clips per shelf, wire, epoxy coated, green, NSF (Qty Break = 2 each) - Equal or equivalent item will be considered.	Each	1		
	VEXB-14 Wire Shelf Wall Mounting Brackets, 14"D, epoxy coated, green, 1 pair (Qty Break = 2 pair) - Equal or equivalent item will be considered.	Pair	1		
5	<b>WIRE SHELVING</b> - Winco Model No. VEX-1460 Packed 2 ea Shelf, 60" x 14", includes (4) sleeve clips per shelf, wire, epoxy coated, green, NSF (Qty Break = 2 each) - Equal or equivalent item will be considered.	Each	1		
	VEXB-14 Wire Shelf Wall Mounting Brackets, 14"D, epoxy coated, green, 1 pair (Qty Break = 2 pair) - Equal or equivalent item will be considered.	Pair	1		

6	<p><b>HOT FOOD SERVING COUNTER / TABLE</b> - BK Resources Model No. ST-SW-3  Steam Table, electric, 3-pan open well design, 20-gauge stainless steel construction, partially enclosed base with shelf, die-stamped openings, infinite temperature control, independently controlled wells with indicator lights, removable poly cutting board with stainless steel support shelf, sealed compartments, sneeze guards, overshelves, and extra parts available at an additional cost, 750W per well, NSF, cULus  1 year parts only warranty - Equal or equivalent item will be considered.</p>	Each	1		
7	<p><b>SHELVING, WALL MOUNTED</b> - Atosa USA, Inc. Model No. SSWS-1236  MixRite Shelf, wall-mounted, 36"W x 12"D x 10"H, 18/304 stainless steel, NSF, KD - Equal or equivalent item will be considered.</p>	Each	1		
8	<p><b>CONVEYOR TOASTER</b> - Winco Model No. ECT-700  Spectrum™ Conveyor Toaster, horizontal, 14-5/8"L x 16-9/16"W x 16-3/8"H, (700) slices/hour, 2-1/2"H opening x 10-3/8"W belt (2 slice), variable conveyor speed, independent/dual heating, hold mode, removable crumb tray, stainless steel cool-touch exterior, adjustable legs with non-skid feet, 208v/240v/50/60, 1.8/2.4 kW, 8.6/10 amps, NEMA 6-15P, cETLus, ETL-Sanitation (Qty Break = 1 each)  One year parts &amp; labor warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		
9	<p><b>WAFFLE CONE MAKER / BAKER</b> - Waring Model No. WWCM200  Waffle Cone Maker, double, up to (120) 1/8" thick waffle cones per hour, audible beep signal, non-stick plates, heavy duty die cast housing, includes rolling/forming tool (CAC121), 120v/60/1-ph, 1400W, cETLus, NSF  1 year limited warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		
	<p>CAC121 Waffle Cone Rolling &amp; Forming Tool - Equal or equivalent item will be considered.</p>	Each	1		
10	<p><b>REFRIGERATED MERCHANDISER</b> - Migali Industries Model No. C-23RM-HC  Competitor Series® Refrigerator Merchandiser, reach-in, one-section, 27" W, 23.0 cu. ft. capacity, bottom mount self-contained refrigeration system, (1) dual pane hinged glass door (locking), (4) shelves, LED interior lighting, illuminated canopy, digital temperature controller/display (+33° to +41°F), forced air cooling, auto defrost, white powder coated steel exterior &amp; interior, 3" casters, R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 6.1 amps, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®, Migali® Plant-A-Tree Pledge: Migali® pledges to plant a tree for every product sold in partnership with the Earth Day Network  Migali® Protection Plan: 2 year parts &amp; labor warranty, 5 year compressor warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		

11	<p><b>DISPOSABLE CUP DISPENSER</b> - Dispense-Rite Model No. PL-CT-3B Cup Dispensing Cabinet, adjustable, 3 section, one-size-fits-all, holds 6 oz. to 46 oz. cups, rim dia. 2-5/8" - 4-3/4", polystyrene, black, E-Z twist adjustment mechanism, 16-1/4"H x 5-1/2"W x 20-1/4"D 1 year limited warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		
	<p>PL-CT-LID Lid, Straw &amp; Condiment Organizer, narrow, 17-1/2"H x 5-1/2"W x 19"D, polystyrene, black B251 year limited warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		
12	<p><b>HEAT LAMP</b> - Winco Model No. ESH-1 Packed 1 st Strip Heater, electric, 14-1/4"W x 26-1/8"D with base, includes: (1) stand adjustable to 18", 20-5/8" &amp; 22-7/8", tubular sheath heating element, extruded aluminum body, includes undermount bracket and bolt set (ESH-UB), 120v/50/60/1-ph, 4.2 amp, 500 watts, NEMA 5-15P, cETLus, ETL-Sanitation (Qty Break = 1 set) One year warranty, standard - Equal or equivalent item will be considered.</p>	Each	1		
	<p>SPJM-102 Steam Table Pan, full size, 20-3/4" x 12-3/4" x 2-1/2" deep, 24 gauge, anti-jamming, 18/8 stainless steel, NSF (Qty Break = 6 each) - Equal or equivalent item will be considered.</p>	Each	1		
	<p>PGW-1018 Wire Pan Grate, 10" x 18", full size, rectangular, chrome-plated (Qty Break = 12 each) - Equal or equivalent item will be considered.</p>	Each	1		
	<p>John Boos EFT8-3018-X Filler Table, 18"W x 30"D, 18/430 stainless steel top with 1-1/2" backsplash, Stallion Safety Edge front, 90° turndown on sides, galvanized legs &amp; adjustable undershelf, plastic bullet feet, NSF, KD (Available in Effingham and Nevada) - Equal or equivalent item will be considered.</p>	Each	1		
13	<p><b>PROOFER CABINET, COUNTERTOP</b> - Asber Model No. AEHC 36 Combination Heating &amp; Proofing Cabinet, full-height, 25-3/8"W x 33-1/2"D x 69-5/8"H, (1) door, 36 pan capacity (18" x 26" sheet pans), 115V/60Hz, 2.0 kW, 16.0A, NEMA 5-20P, dual-mode operation (heat mode up to 180°F, proof mode up to 95% RH at 110°F), forced air circulation, removable analog controls with digital display, extra-large water reservoir, heavy-duty stainless-steel construction, Lexan window with aluminum frame, tight-fitting door gasket, corner bumpers, lip load system, bottom-loading design, UL Listed, NSF Certified, Made in North America - Equal or equivalent item will be considered.</p>	Each	1		

14	<p><b>REFRIGERATION EQUIPMENT</b> - Bohn Refrigeration Model No. BCH0022LBBCZA0000</p> <p>1) 2 HP Bohn DOE Compliant Outdoor Condensing Unit, Model BCH0022LBBCZA0000, 208-230/1/60, MCA 21 Amps,  Low Temperature, Scroll, Air-cooled, R-448A, 1 year compressor and parts warranty from date of shipment within Continental USA. (6472 Btu/hr @ -10°F room temperature and 95°F ambient)</p> <p>(1) Bohn DOE Compliant BEL0045BS6EEAB0200, 208-230/1/60, Low Profile Electric Defrost, 0.5 Fan Amps with 1-Speed EC Motor (Totally Enclosed) motor</p> <p>(1) Extended 4 year compressor Warranty</p> <p>(1) 0.75 HP Bohn DOE Compliant Outdoor Condensing Unit, Model BCH0009MBACZA0000, 208-230/1/60, MCA 15 Amps,  BTUH 9570, Medium Temperature, Scroll, Air-cooled, R-448A, This refrigeration system is designed and certified for use in walk-in cooler applications -</p> <p>(1) Bohn DOE Compliant BEL0095AS6AMAB0200, 115/1/60,  Low Profile Air Defrost, 1.8 Fan Amps with 2-Speed EC Motor (Totally Enclosed) motor</p> <p>(1) Extended 4 year compressor WarrantyRefrigeration quoted Remote Pre-Assembled / Pre-wired with factory mounted components. Refrigeration excludes lines and Refrigerant - Equal or equivalent item will be considered.</p>	Each	1		
15	<p><b>WALK IN COMBINATION COOLER FREEZER, REMOTE</b> - AmeriKooler Model No. TWO</p> <p>COMPARTMENT WALK-IN</p> <p>*OUTDOOR COMBO*</p> <p>15 Year Panel Warranty and 1 Year Parts Warranty Interior walls: 26 Ga. Stucco Embossed Acrylume Exterior walls: 26 Ga. Stucco Embossed Acrylume Interior ceiling: 26 Ga. Stucco Embossed Acrylume Exterior ceiling: 26 Ga. Stucco Embossed Acrylume - Equal or equivalent item will be considered.</p>	Each	1		
16	<p><b>WIRE SHELVING UNIT</b> - Winco Model No. VEXS-2448 Packed 1 st</p> <p>Wire Shelving Set, 24" x 48" x 72", 4 tiers, can be used for all environments including humid areas, epoxy coated, KD, NSF (Qty Break = 1 set) - Equal or equivalent item will be considered.</p>	Set	4		
17	<p><b>WIRE SHELVING UNIT</b> - Winco Model No. VEXS-2436 Packed 1 st</p> <p>Wire Shelving Set, 24" x 36" x 72", 4 tiers, can be used for all environments including humid areas, epoxy coated, KD, NSF (Qty Break = 1 set) - Equal or equivalent item will be considered.</p>	Set	9		

18	<p><b>REFRIGERATED MERCHANDISER</b> - Atosa USA, Inc. Model No. MCF8722GRL  2 year labor &amp; parts warranty, 5 years warranty on compressor (continental USA only)  Refrigerator Merchandiser, one-section, 27"W x 31-1/2"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 19.4 cu. ft., (1) self-closing left hinged glass door with lock, Dixell electronic controller, 33° to 38°F temperature range, (4) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® - Equal or equivalent item will be considered.</p>	Each	2		
19	<p><b>THREE (3) COMPARTMENT SINK</b> - Atosa USA, Inc. Model No. MRSA-3-D  MixRite Sink, 3-compartment, 90"W x 24"D x 44-1/2"H overall, (3) 18"W x 18" front-to-back x 12" deep sink compartments, 18" left &amp; right drainboards, 18 gauge stainless steel, galvanized legs, adjustable ABS feet, NSF (must be purchased in quantities of (6 each), unless doing will call pick up) - Equal or equivalent item will be considered.</p>	Each	1		
	<p>MRPN007-A Leg Cross Brace, fits on MRSA model sinks &amp; mop sink (pair) - Equal or equivalent item will be considered.</p>	Pair	1		
	<p>Krowne 17-109WL Krowne Royal Series, pre-rinse Assembly, with add-on faucet, wall mount, 8" centers, spring action flexible gooseneck, 38"H stainless steel hose with 15" overhang &amp; 1.2 GPM spray head, built in check valves, 2.0 GPM add-on faucet with 12" swing spout, quarter-turn ceramic cartridge valves, includes wall bracket &amp; mounting kit, chrome plated brass base, low lead compliant, includes internal check valves to prevent backflow &amp; cross contamination, NSF (interchangeable with most brands) (ships pre-assembled - Equal or equivalent item will be considered.</p>	Each	1		
	<p>Krowne 3 year warranty, standard</p>				
20	<p><b>HAND SINK</b> - Atosa USA, Inc. Model No. SH15SD  Hand sink, wall-mount, 20 ga 304 stainless steel, 15-3/4"W x 15-3/8"D x 13-1/4"H overall, 10"W x 12-3/4" front-to-back x 5" deep bowl, 6" backsplash with 2" return &amp; 18 ga side splashes, gooseneck faucet with wrist-blade handles, 1-1/2" waste drain &amp; strainer, Z-clip mounting bracket, NSF - Equal or equivalent item will be considered.</p>	Each	1		
21	<p><b>DRAIN, LEVER / TWIST WASTE</b> - T&amp;S Brass Model No. B-3952  Waste Valve, twist handle, 3-1/2" sink opening, 2" drain outlet (replaces B-3913, B-3917) - Equal or equivalent item will be considered.</p>	Each	3		
22	<p><b>GREASE INTERCEPTOR</b> - John Boos Model No. GT-30-X  Grease Interceptor, 30 lb. grease capacity, 15 gallons per minute flow rate, 2-1/2" inlet/outlet, no-hub connections, T-Vent included, no-skid cover, removable baffle, easy removable cover, integral trap, vented inlet flow control device, 1/8" thick carbon steel, PDI certified (Available in Effingham and Nevada - Equal or equivalent item will be considered.</p>	Each	1		

