

MOBILE COUNTY COMMISSION

205 Government Street 8TH FL South
Mobile, Alabama 36644

BID INVITATION

NO. 58-23

JUNE 28, 2023

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items: **ANNUAL FIRE ALARM SYSTEM SERVICES AND SUPPLIES FOR MOBILE COUNTY ELECTRONICS DEPARTMENT AS PER SPECIFICATIONS:**

NOTE: PRICES MUST REMAIN FIRM FROM OCTOBER 1, 2023 THROUGH SEPTEMBER 30, 2025.

Any questions or comments concerning the bid requirements must be brought to the attention of Susan Holland, Purchasing Agent, 205 Government Street, 8th FL South, Mobile, Alabama 36644, susan.holland@mobilecountyal.gov prior to the bid opening or will be forever waived.

All bidders shall furnish a five percent (5%) bid bond on any contract exceeding \$15,000.00: provided that bonding is available for services, equipment or materials. Bid bond will be accepted in the form of a certified check, cashier's check, or postal money order, etc.

Out of State Corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out of State limited liability companies shall furnish proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provide proof of enrollment in E-Verify prior to the award of a contract. (See enclosed notice which must be completed, signed and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at www.mobilecountyal.gov.

THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN, RELIGION, OR DISABILITIES.

F.O.B. Mobile DATE OF DELIVERY _____ TERMS _____ You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation therefrom must, in detail establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. JULY 26, 2023.

ALL BIDS MUST BE SEALED, "BID NUMBER, COMPANIES NAME, AND NAME OF THE BID ITEM MARKED ON THE OUTSIDE OF THE ENVELOPE." THE BIDDER WILL RETURN THE ENTIRE BID PACKAGE. BIDS MUST BE DELIVERED TO THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET ON THE EIGHTH FLOOR SOUTH TOWER OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

MOBILE COUNTY COMMISSION



GLENN L. HODGE, COUNTY ADMINISTRATOR

We propose to meet the above specifications for the sum of

\$see attached list.

Delivery can be made in _____ days from receipt of order.

RESPECTFULLY

BY _____



IMPORTANT

**THIS DOCUMENT MUST BE COMPLETED,
SIGNED AND RETURNED WITH YOUR BID**

As a condition for the award of a competitively bid contract to a company having one or more employees in the State of Alabama, the Beason-Hammon Alabama Taxpayer Citizenship and Protection Act, codified at Section 31-31-1, et seq., Code of Alabama (1975), as amended, requires that the company provide, in advance, proof of enrollment in E-Verify. E-Verify is an internet based system operated by the U.S. Department of Homeland Security, which may be used to determine the eligibility of new hires to work in the United States. Further information about enrollment in E-Verify may be found at www.uscis.gov/everify and www.Verifly.Alabama.gov.

As proof of enrollment in E-Verify, Mobile County requires a copy of the electronically signed signature page of the contractor's Memorandum of Understanding with the U.S. Department of Homeland Security or Alabama Department of Homeland Security (contractors having fewer than 25 employees may enroll in E-Verify through the state Department of Homeland Security).

Please complete the following and return with your bid:

_____ (company name) has no employees in the
State of Alabama

Or

_____ (company name) is enrolled in E-Verify and a
copy of the electronically signed signature page of the company's Memorandum of Understanding is
attached.

Date

Signature

Title

Date: _____

BID #58-23

ANNUAL FIRE ALARM SYSTEM SERVICES AND SUPPLIES FOR MOBILE COUNTY ELECTRONICS DEPARTMENT:

Name of Company: _____

Company Representative _____
(Print)

Company Representative _____
(Signature)

Address _____

Phone Number () _____ Fax Number() _____

Federal ID Number _____

Email Address _____

Company Web Address _____

Please attach a current W-9.

PRICE PAGE

Vendor must supply new equipment. Vendor must be certified Simplex factory trained to offer labor pricing. All parts must be compatible with existing Simplex fire panels (4100, 4010, 4007, etc...) and be Simplex IDNET compliant. Vendor must employ NICET Certified personnel for appropriate design, technical, and installation labor. All items must be priced. Partial bids will not be accepted. Mobile County will only pay labor rate on price per hour. No truck, fuel, or any other fees will be accepted on invoices.

Prices are for a quantity of one (1) up to four hundred (400) of each.

Simplex Model 2088-9008, or equivalent	Each \$ _____
Simplex Model 2098-9806, or equivalent	Each \$ _____
Simplex Model 2099-9756, or equivalent	Each \$ _____
Simplex Model 2099-9804, or equivalent	Each \$ _____
Simplex Model 4090-9001, or equivalent	Each \$ _____
Simplex Model 4090-9002, or equivalent	Each \$ _____
Simplex Model 4090-9051, or equivalent	Each \$ _____
Simplex Model 4098-9714, or equivalent	Each \$ _____
Simplex Model 4098-9717, or equivalent	Each \$ _____
Simplex Model 4098-9127, or equivalent	Each \$ _____
Simplex Model 4098-9733, or equivalent	Each \$ _____
Simplex Model 4098-9747, or equivalent	Each \$ _____
Simplex Model 4098-9755, or equivalent	Each \$ _____
Simplex Model 4098-9756, or equivalent	Each \$ _____
Simplex Model 4098-9770, or equivalent	Each \$ _____
Simplex Model 4098-9771, or equivalent	Each \$ _____
Simplex Model 4098-9780, or equivalent	Each \$ _____
Simplex Model 4098-9792, or equivalent	Each \$ _____
Simplex Model 4098-9797, or equivalent	Each \$ _____
Simplex Model 4098-9806, or equivalent	Each \$ _____
Simplex Model 4098-9843, or equivalent	Each \$ _____

Simplex Model 4099-9001, or equivalent	Each \$ _____
Simplex Model 4099-9006, or equivalent	Each \$ _____
Simplex Model 4603-9101, or equivalent	Each \$ _____
Simplex Model 4606-9101, or equivalent	Each \$ _____
Simplex Model 4606-9102, or equivalent	Each \$ _____
Simplex Model 4606-9205, or equivalent	Each \$ _____
Simplex Model 4606-9101, or equivalent	Each \$ _____
Simplex Model 4906-9105, or equivalent	Each \$ _____
Simplex Model 4906-9131, or equivalent	Each \$ _____
Simplex Model 4906-9204, or equivalent	Each \$ _____
Simplex Model 4906-9253, or equivalent	Each \$ _____
Simplex Model 4906-9254, or equivalent	Each \$ _____
Simplex Model 49AV-APPLC, or equivalent	Each \$ _____
Simplex Model 49AV-WRF, or equivalent	Each \$ _____
Simplex Model 49AV-WRFO, or equivalent	Each \$ _____
Simplex Model 49VO-WRF, or equivalent	Each \$ _____
Simplex Model 49VO-APPLC, or equivalent	Each \$ _____
Simplex Model 560-040, or equivalent	Each \$ _____
Simplex Model 565-831, or equivalent	Each \$ _____
Simplex Model 566-323, or equivalent	Each \$ _____
Simplex Model 743-560, or equivalent	Each \$ _____
Simplex Model 743-2265, or equivalent	Each \$ _____
Simplex Model 4100-0621, or equivalent	Each \$ _____
Simplex Model 4100-0623, or equivalent	Each \$ _____
Simplex Model 4100-0634, or equivalent	Each \$ _____
Simplex Model 4100-0636, or equivalent	Each \$ _____
Simplex Model 4100-1210, or equivalent	Each \$ _____
Simplex Model 4100-1240, or equivalent	Each \$ _____
Simplex Model 4100-1241, or equivalent	Each \$ _____
Simplex Model 4100-1252, or equivalent	Each \$ _____
Simplex Model 4100-1270, or equivalent	Each \$ _____

Simplex Model 4100-1272, or equivalent	Each \$ _____
Simplex Model 4100-1279, or equivalent	Each \$ _____
Simplex Model 4100-1280, or equivalent	Each \$ _____
Simplex Model 4100-1288, or equivalent	Each \$ _____
Simplex Model 4100-1294, or equivalent	Each \$ _____
Simplex Model 4100-1315, or equivalent	Each \$ _____
Simplex Model 4100-2300, or equivalent	Each \$ _____
Simplex Model 4100-2320, or equivalent	Each \$ _____
Simplex Model 4100-5120, or equivalent	Each \$ _____
Simplex Model 4100-5128, or equivalent	Each \$ _____
Simplex Model 4100-5311, or equivalent	Each \$ _____
Simplex Model 4100-5325, or equivalent	Each \$ _____
Simplex Model 4100-6047, or equivalent	Each \$ _____
Simplex Model 4100-6050, or equivalent	Each \$ _____
Simplex Model 4100-6052, or equivalent	Each \$ _____
Simplex Model 4100-6056, or equivalent	Each \$ _____
Simplex Model 4100-6057, or equivalent	Each \$ _____
Simplex Model 4100-6078, or equivalent	Each \$ _____
Simplex Model 4100-6079, or equivalent	Each \$ _____
Simplex Model 4100-6080, or equivalent	Each \$ _____
Simplex Model 4100-9314, or equivalent	Each \$ _____
Simplex Model 4100-9600, or equivalent	Each \$ _____
Simplex Model 4100-9620, or equivalent	Each \$ _____
Simplex Model 4010-6303, or equivalent	Each \$ _____
Simplex Model 4010-6304, or equivalent	Each \$ _____
Simplex Model 4010-9601, or equivalent	Each \$ _____
Simplex Model 4010-9602, or equivalent	Each \$ _____
Simplex Model 4010-9912, or equivalent	Each \$ _____
Simplex Model 4010-9922, or equivalent	Each \$ _____

Simplex Model 4009-9201, or equivalent Each \$ _____

Simplex Model 4009-9813, or equivalent Each \$ _____

Simplex Model 4007-9602, or equivalent Each \$ _____

Simplex Model 4007-9806, or equivalent Each \$ _____

Discount percentage off of list price for any system boards or parts not listed % Off Each _____

CAD Labor, to update current Simplex CAD Drawings Per Hr.\$ _____

Design Labor, to add/modify current Simplex Systems Per H r.\$ _____

Technical Labor, to troubleshoot and/or maintain current Simplex Systems Reg Rate Per Hr.\$ _____

After Hours Rate Per Hr.\$ _____

Installation Labor, to add/modify current Simplex Devices Reg Rate Per Hr.\$ _____

After Hours Rate Per Hr.\$ _____