

MOBILE COUNTY COMMISSION

205 Government Street 8TH FL South
Mobile, Alabama 36644

BID INVITATION

NO. 63-22

JULY 29, 2022

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items:

ANNUAL TRAFFIC SIGN MATERIAL BID FOR MOBILE COUNTY PUBLIC WORKS AS PER ATTACHED SPECIFICATIONS:

NOTE: PRICES MUST REMAIN FIRM FROM OCTOBER 1, 2022 THROUGH DECEMBER 31, 2022.

Any questions or comments concerning the bid requirements must be brought to the attention of Susan Holland, Purchasing Agent, 205 Government Street, 8th FL South, Mobile, Alabama 36644, susan.holland@mobilecountyal.gov prior to the bid opening or will be forever waived.

All bidders shall furnish a five percent (5%) bid bond on any contract exceeding \$15,000.00: provided that bonding is available for services, equipment or materials. Bid bond will be accepted in the form of a certified check, cashier's check, or postal money order, etc.

Out of State Corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out of State limited liability companies shall furnish proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provide proof of enrollment in E-Verify prior to the award of a contract. (See enclosed notice which must be completed, signed and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at www.mobilecountyal.gov.


THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN, RELIGION, OR DISABILITIES.

F.O.B. Mobile DATE OF DELIVERY _____ TERMS _____ You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation therefrom must, in detail establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. AUGUST 31, 2022.

ALL BIDS MUST BE SEALED, "BID NUMBER, COMPANIES NAME, AND NAME OF THE BID ITEM MARKED ON THE OUTSIDE OF THE ENVELOPE." THE BIDDER WILL RETURN THE ENTIRE BID PACKAGE. BIDS MUST BE DELIVERED TO THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET ON THE EIGHTH FLOOR SOUTH TOWER OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

MOBILE COUNTY COMMISSION



GLENN L. HODGE, COUNTY ADMINISTRATOR

We propose to meet the above specifications for the sum of

\$ see attached list.

Delivery can be made in _____ days from receipt of order.

RESPECTFULLY

BY _____



IMPORTANT

**THIS DOCUMENT MUST BE COMPLETED,
SIGNED AND RETURNED WITH YOUR BID**

As a condition for the award of a competitively bid contract to a company having one or more employees in the State of Alabama, the Beason-Hammon Alabama Taxpayer Citizenship and Protection Act, codified at Section 31-31-1, et seq., Code of Alabama (1975), as amended, requires that the company provide, in advance, proof of enrollment in E-Verify. E-Verify is an internet based system operated by the U.S. Department of Homeland Security, which may be used to determine the eligibility of new hires to work in the United States. Further information about enrollment in E-Verify may be found at www.uscis.gov/everify and www.Verify.Alabama.gov.

As proof of enrollment in E-Verify, Mobile County requires a copy of the electronically signed signature page of the contractor's Memorandum of Understanding with the U.S. Department of Homeland Security or Alabama Department of Homeland Security (contractors having fewer than 25 employees may enroll in E-Verify through the state Department of Homeland Security).

Please complete the following and return with your bid:

_____ (company name) has no employees in the
State of Alabama

Or

_____ (company name) is enrolled in E-Verify and a
copy of the electronically signed signature page of the company's Memorandum of Understanding is
attached.

Date Signature Title

E-Verify



Company ID Number: 477783

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-464-4218.

Employer Mobile County Commission

Connie Hudson

Name (Please Type or Print)

Title

Electronically Signed

12/21/2011

Signature

Date

Department of Homeland Security – Verification Division

USCIS Verification Division

Name (Please Type or Print)

Title

Electronically Signed

12/21/2011

Signature

Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name:	Mobile County Commission
Company Facility Address:	205 Government Street
	8th Floor South Tower
	Mobile, AL 36644
Company Alternate Address:	
County or Parish:	MOBILE
Employer Identification Number:	636001644

Date: _____

BID # 63-22

ANNUAL TRAFFIC SIGN MATERIAL BID FOR MOBILE COUNTY PUBLIC WORKS DEPARTMENT:

Name of Company: _____

Company Representative _____
(Print)

Company Representative _____
(Signature)

Address _____

Phone Number () _____ Fax Number() _____

Federal ID Number _____

Email Address _____

Company Web Address _____

Please attach a current W-9.

SPECIFICATIONS

TRAFFIC SIGN MATERIALS

The following specifications shall apply to each item based on type of sign material composition.

A. Sheeting Material

All Sign Sheeting Materials used for all signs for Mobile County Traffic Department shall be in conformance with the ASTM Standard Specification for Reflective Sheeting for Traffic Control, D 4956-09, and approved manufactures of the sheeting Type materials shall be on the approved Alabama Department of Transportation products list for use and only for their "Type" category in which they were qualified.

Bidders will not be permitted to cross bid, (ie: Type IXF being bid as Type IV)

Sign sheeting materials used by Type:

Type IV - High Intensity, retroreflective sheeting, "microprismatic"

Type VIII — Super High Intensity, retroreflective sheeting (ASTM D 4956 Table 2), "microprismatic.

Type XI — Super High Intensity, unmetalized cube corner microprismatic retroreflective sheeting. (ASTM D 4956-09, Table 10)

Type VIII and Type XI reflective sheeting shall meet the minimum coefficients of retroreflection as described in ASTM D4956-09 for type VIII and type XI sheetings, respectively.

1. General characteristics and packaging. The signs supplied shall be of good appearance, free from ragged edges, cracks, and extraneous materials, and show careful workmanship with the messages and border sharply defined.
2. All signs must be protected with slip-sheeting and be packaged in quantities of 10 or less, (50 lbs. max.), with protective closed cell padding placed around outer surfaces.
3. The protective slip-sheeting shall be easily removable. The supplier will replace signs when removable liners will not separate easily from the sign.
4. All costs to return and replace any damaged and unusable signs shall be the sole responsibility of the suppliers.

5. All signs shall conform with the design, size, layout and color standards set by the Manual on Uniform traffic Control Devices, (MUTCD), or by Mobile County only under special request written orders. No other standard will be accepted and all costs, to replace the materials, including return shipping and replacement shipping, if requirements are not met, will be the sole responsibility of the bidder.
6. All bidders shall furnish a Material Performance Certification with their bid which certifies that all material furnished under this bid shall have performance life of not less than seven (7) years. Failure of their product within this stipulated period of time will result in the bidder replacing all material in kind in addition to reimbursing Mobile County for all costs involved in the removal, refurbishing and reinstalling signs which are found to be defective.
7. The following abbreviations are used in the itemized sign descriptions:
 - F - Fluorescent
 - FY - Fluorescent Yellow
 - FO - Fluorescent Orange
 - FYG - Fluorescent Yellow Green

B. BLANK MATERIAL

All signs shall be made from the following specifications:

1. Material: Aluminum Alloy 5052-H38 .08 thickness **unless otherwise noted**
2. Mechanical Property Limits:
Tensile Strength - ultimate - 39.0 KSI
- yield - 32.0 KSI
Percentage Elongation in 2" - 4%
Chemical Composition Limits
 - Silicon .45%
 - Copper .10%
 - Manganese .10%
 - Magnesium 2.2% - 2.80%
 - Chromium .15% - .35%
 - Zinc .10%
 - Aluminum Remainder
3. Fabrication:

**** Note:** Corner Radius for all street name signs shall be 1/2".**

3.1 All Mounting Holes for Sign Blanks shall meet the Design Standards of the Alabama Manual on Uniform Traffic Control Devices for "**U**" Channel Posts, punched with 3/8" diameter holes on 1" centers, unless otherwise specified by Mobile County.

4. A representative sample sign blank may be required before shipment of the order.

C. Sign Installation Hardware Accessories

- 1 All materials shall be made from high strength aluminum under 400 tons pressure. Tensile strength 45,000 PSI tumbled and de-greased for smoothness and ease of handling.
2. The brackets shall be provided with cadmium plated set screws Set screws must be able to secure signs in place with minimum 25 inch pounds of applied pressure
3. All brackets and caps shall be for U-Channel posts
4. All Hardware shall be appropriate for heavy-duty use

D. Decal Specifications

Shall be from high gloss, premium, enclosed glass bead lens, retroreflective, printable, polyester film with pressure sensitive permanent adhesive on back side protected by a release liner, The material shall be usable for screen printing application.

Decals shall be able to adhere to painted sign material listed elsewhere in these specifications under normal range of climate conditions expected for the environment of Mobile, Al and shall be good to excellent in dimensional stability and suitable for 2 yrs of service.

The decals shall be printed in contrasting, highly visible colors resistant to heat, chemicals, abrasion and sunlight, with the following information: (layout template attached)

- a. list of years, 2 digits, present through 5 years future,
- b. list of months, alpha/num
- c. list of days of months, 1-31
- d. list of installer - TR1, TR2, OTR
- e. list of work description- RPR, RPL, NEW
- f. statement "A Property of Mobile County, Alabama; WARNING; IT IS UNLAWFUL TO REMOVE OF DEFACE ANY TRAFFIC CONTROL DEVICE; PUNISHABLE BY FINE UP TO \$5000 AND/OR 12 MONTHS IN JAIL; REPORT ANY DAMAGE BY CALLING 251-574-4030"

E. DELIVERY OF MATERIAL

1. Shipment of materials will be to one of the following per each purchase authorization:

Mobile County Traffic Department
Attention: Mr. Tom Hudson
1150 Schillinger Road North
Mobile AL 36608

City of Mobile
Traffic Engineering
852 Gayle St
Mobile, Al 36604

E. ITEMS TO BE BID ON

- 1 The following groups are listed seSigns with Faces Mounted on Blanks (1 or 2 sided)
Blanks only (without the Sign Faces)
Sign Installation Hardware Accessories
Decals
2. All items on the bid will remain at the unit price each for the duration of the contract life.
3. Mobile County reserves the right to purchase any or all items bid and in any combination. Mobile County will order the minimums listed for each item, but may also order any amount over minimum listed.
4. The bidder selected shall be able to supply all items listed in this bid list.

F. CONTRACT LIFE

The expiration date of this contract will be three (3) months from October 1, 2022 through December 31, 2022. The bidder shall supply all items at the unit price listed for the life of the contract

Joint Purchasing Agreement

This contract authorizes the City of Mobile to make purchases, if they so desire, in accordance with Section 41-16-50(b), and authorized by a joint purchasing agreement between the City of Mobile and Mobile County. All ordering, billing, and other transactions by the City of Mobile shall be the sole responsibility of the City of Mobile officials and, for the County of Mobile, be the sole responsibility of the County of Mobile. Mobile County is not responsible for any items within this contract that are purchased by the City of Mobile. The City of Mobile is solely responsible for the item(s) purchased and implemented by the City of Mobile.

THIS IS AN ALL OR NONE BID

Signs with Faces Mounted on Blanks

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
R-SERIES RIGHT-OF-WAY SERIES				
R1-1	STOP (TYPE XI)	30" X 30"	50	_____
R1-1	STOP (TYPE XI)	36" X 36"	50	_____
R1-1	STOP (TYPE XI)	48" X 48"	10	_____
R-SERIES RIGHT-OF-WAY SERIES				
R-1-2	YIELD (TYPE XI)	30" X 30" X 30"	50	_____
R-SERIES RIGHT-OF-WAY SERIES				
R-1-2	YIELD (TYPE XI)	36" X 36" X 36"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE XI)	18" X 6"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLOR (TYPE IV)	36" X 12"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	24" X 18"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	24" X 24"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	24" X 30"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	24" X 36"	50	_____
	2-COLORS (TYPE XI)	24" X 36"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	30" X 30"	50	_____
	2-COLORS (TYPE XI)	30" X 30"	50	_____
R-SERIES SPEED AND MOVEMENT SERIES				
	2-COLORS (TYPE IV)	30" X 36"	50	_____
	2-COLORS (TYPE XI)	30" X 36"	50	_____

Signs with Faces Mounted on Blanks

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
R-SERIES	SPEED AND MOVEMENT SERIES			
	3-COLORS (TYPE IV)	30" X 30"	50	_____
	3-COLORS (TYPE XI)	30" X 30"	50	_____
R-SERIES	SPEED AND MOVEMENT SERIES			
	3-COLORS (TYPE IV)	24" X 30"	50	_____
	3-COLORS (TYPE XI)	24" X 30"	50	_____
R-SERIES	PARKING RESTRICTION SERIES			
	2-COLORS (TYPE IV)	12" X 6"	20	_____
	2-COLORS (TYPE IV) (.63 thickness)	12" X 6"	20	_____
R-SERIES	PARKING RESTRICTION SERIES			
	2-COLORS (TYPE IV)	12" X 18"	20	_____
	2-COLORS (TYPE IV) (.63 thickness)	12" X 18"	20	_____
R-SERIES	PARKING RESTRICTION SERIES			
	2-COLORS (TYPE IV) (.63 thickness)	12" X 24"	20	_____
R-SERIES	PARKING RESTRICTION SERIES			
	2-COLORS (TYPE IV)	24" X 30"	20	_____
R-SERIES	PARKING RESTRICTION SERIES			
	3-COLORS (TYPE IV) (.63 thickness)	12" X 18"	20	_____
	3-COLORS (TYPE IV)	12" X 18"	20	_____
	"MARDI-GRAS"			
	3-COLORS(TYPE IV) (.63 thickness)	12" X 24"	50	_____
R-SERIES	PARKING RESTRICTION SERIES			
	3-COLORS (TYPE IV)	24" X 24"	20	_____
R-SERIES	PARKING RESTRICTION SERIES			
	3-COLORS (TYPE IV)	24" X 30"	20	_____
M, D & I - SERIES	GUIDE SERIES			
	2-COLORS (TYPE IV)	21" X 15"	20	_____
M, D & I - SERIES	GUIDE SERIES			
	2-COLORS (TYPE IV)	24" X 6"	20	_____

Signs with Faces Mounted on Blanks

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
M, D & I - SERIES	GUIDE SERIES 2-COLORS (TYPE IV)	24" X 30"	50	_____
M, D & I - SERIES	GUIDE SERIES 2-COLORS (TYPE IV)	30" X 36"	50	_____
M, D & I - SERIES	GUIDE SERIES 2-COLORS (TYPE IV)	48" X 30"	50	_____
M, D & I - SERIES	GUIDE SERIES 2-COLORS (TYPE IV)	60" X 30"	50	_____
M, D & I - SERIES	GUIDE SERIES 2-COLORS (TYPE IV)	72" X 36"	20	_____
MISCELLANEOUS SERIES				
N-W Crime Stopper	3 - COLORS (TYPE IV)	18" X 24"	25	_____
CD - 1 Evacuation Route	2 - COLORS (TYPE IV)	18" diameter	25	_____
CD - 1 - R Evacuation Route	2 - COLORS (TYPE IV)	18" diameter	25	_____
CD - 1 - L Evacuation Route	2 - COLORS (TYPE IV)	18" diameter	25	_____
CD - 1 - STR Evacuation Route	2 - COLORS (TYPE IV)	18" diameter	25	_____
C - 2 Drug Free School Zone	2 - COLORS (TYPE IV)	18" X 12"	25	_____
CV - 28 - B Adopt - A - Mile	2 - COLORS (TYPE IV)	24" X 18"	25	_____
Neighborhood Watch	3 - COLORS (TYPE IV)	18" X 12"	25	_____
Neighborhood Watch	3 - COLORS (TYPE IV) (.63 thickness)	18" X 12"	25	_____

Signs with Faces Mounted on Blanks

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
	Special School Sign			
W-SERIES	3 - COLORS (TYPE XIFYG) WARNING SERIES	96" X 36"	2	_____
	2-COLORS (TYPE IV)	30" X 30"	50	_____
	(TYPE XI)	30" X 30"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	36" X 18"	50	_____
	(TYPE XI)	36" X 18"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	36" X 36"	50	_____
	(TYPE XIFY)	36" X 36"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE XIFY)	48" X 24"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	18" X 24"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	24" X 24"	50	_____
	(TYPE XIFY)	24" X 24"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE XIFY)	36" X 12"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	36" DIAMETER	50	_____
	2-COLORS (TYPE XIFY)	36" DIAMETER	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	36" X 48" X 48"	50	_____
W-SERIES	WARNING SERIES 3-COLORS (TYPE IV)	36" X 36"	50	_____
W-SERIES	WARNING SERIES 4-COLORS (TYPE VIIIIFY)	36" X 36"	50	_____

Signs with Faces Mounted on Blanks

W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	36" X 36"	50 _____
	(TYPE VIIIIFY)	36" X 36"	50 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	30" X 30"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE IV)	60" X 36"	30 _____
	(TYPE VIIIFO)	60" X 36"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	60" X 30"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE IV)	60" X 24"	30 _____
	(TYPE VIIIFO)	60" X 24"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	48" X 48"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	48" X 30"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	36" X 18"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	24" X 12"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	24" X 18"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	30" X 24"	30 _____
W-SERIES	WORK AREA WARNING SERIES 2-COLORS (TYPE VIIIFO)	48" X 18"	30 _____
Miscellaneous			
W-SERIES	W1-8 CHEVRON ALIGNMENT 2 COLOR (TYPE XIFY)	24" X 30"	30 _____
W-SERIES	W1-8 CHEVRON ALIGNMENT 2 COLOR (TYPE XIFY)	30" X 36"	30 _____
S-SERIES	SCHOOL AREA SERIES 2-COLORS (TYPE XIFYG)	36" X 36"	30 _____
S-SERIES	SCHOOL AREA SERIES 2-COLORS (TYPE XIFYG)	24" X 30"	30 _____

Signs with Faces Mounted on Blanks

S-SERIES	SCHOOL AREA SERIES				
	2-COLORS	(TYPE XIFYG)	24" X 8"	30	_____
S-SERIES	SCHOOL AREA SERIES				
	2-COLORS	(TYPE XIFYG)	24" X 10"	30	_____
S-SERIES	SCHOOL AREA SERIES				
	3-COLORS	(TYPE XIFYG)	24" X 48"	30	_____
TYPE I	OBJECT MARKERS	(Including nine reflectors)			
		(TYPE IV)	18" X 18"	50	_____
TYPE II	OBJECT MARKERS	(WITHOUT REFLECTORS)			
		(TYPE IV)	6" X 12"	50	_____
TYPE III	OBJECT MARKERS	(with 4" diagonal stripes)			
	2-COLORS	(TYPE XIFY)	12" X 36"	50	_____
TYPE III	BARRICADE PANEL	(with 6" diagonal stripes)			
	2-COLORS	(TYPE XIFO)	96" X 10"	30	_____

STREET NAME SIGNS WITH FACES ON TWO SIDES

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
D-3	OVERHEAD STREET NAME 2-COLOR (TYPE XI)	18" X 48"	20	_____
D-3	2-COLOR (TYPE XI) (.10 thickness) OVERHEAD STREET NAME 2-COLOR (TYPE XI)	12" X 48" 18" X 60"	20	_____
D-3	2-COLOR (TYPE XI) (.10 thickness) OVERHEAD STREET NAME 2-COLOR (TYPE XI)	12" X 60" 18" X 72"	20	_____
D-3	2-COLOR (TYPE XI) (.10 thickness) OVERHEAD STREET NAME 2-COLOR (TYPE XI)	12" X 72" 18" X 96"	20	_____
D-3	2-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	12" X 96" 42" X 9"	20	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	42" X 9" 36" X 8"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	36" X 9" 36" X 9"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	36" X 9" 30" X 8"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	30" X 8" 30" X 9"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	30" X 9" 24" X 8"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	24" X 8" 24" X 9"	100	_____
D-3	1-COLOR (TYPE XI) (.10 thickness) STREET NAME 1-COLOR (TYPE XI)	24" X 9" 24" X 9"	100	_____

STREET NAME SIGNS WITH FACES ON TWO SIDES

MUTCD#	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
W14-1P DEAD END -> 2-COLORS	(TYPE IV)	36" X 12"	20	_____
R6-1 ONE WAY -> 2-COLORS	(one left arrow and one right arrow on opposite sides) (TYPE IV)	36" X 12"	20	_____
W14-2P NO OUTLET -> 2-COLORS	(TYPE IV)	36" X 12"	20	_____

BLANKS ONLY

SIZE	MIN. QTY	SPECIAL NOTE	UNIT PRICE EACH
4" X 18"	20	(NO HOLES, 1/2 A RADIUS)	_____
4" X 24"	20	(NO HOLES, 1/2 A RADIUS)	_____
4" X 30"	20	(NO HOLES, 1/2 A RADIUS)	_____
4" X 36"	20	(NO HOLES, 1/2 A RADIUS)	_____
6" X 12"	20		_____
8" X 18"	20		_____
8" X 24"	20		_____
8" X 30"	20		_____
8" X 36"	20		_____
9" X 12"	20		_____
9" X 18"	20		_____
9" X 24"	20		_____
9" X 30"	20		_____
9" X 36"	20		_____
10" X 18"	20		_____
10" X 24"	20		_____
10" X 30"	20		_____
10" X 36"	20		_____
10" X 96"	30		_____

BLANKS ONLY

SIZE	MIN. QTY	SPECIAL NOTE	UNIT PRICE EACH
12" X 18"	20		_____
12" X 24"	20		_____
12" X 30"	20		_____
12" X 36"	20		_____
12" X 48"	20		_____
12" X 72"	10		_____
12" X 96"	30		_____
18" X 18"	30	(NO HOLES)	_____
18" X 18"	30	(DIAMOND-WITH 9 HOLES)	_____
18" X 24"	20		_____
18" X 30"	20		_____
18" X 36"	20		_____
18" X 48"	20		_____
18" X 60"	20		_____
18" X 72"	10		_____
18" X 96"	10		_____
24" X 24"	50		_____
24" X 30"	50		_____
24" X 36"	50		_____

BLANKS ONLY

SIZE	MIN. QTY	SPECIAL NOTE	UNIT PRICE EACH
24" X 48"	30		_____
24" X 60"	30		_____
24" X 96"	30		_____
30" X 30"	50		_____
30" X 36"	50		_____
30" X 48"	30		_____
30" X 60"	20		_____
30" X 96"	30		_____
36" X 36"	50		_____
36" X 42"	20		_____
36" X 48"	30		_____
36" X 60"	30		_____
36" X 72"	10		_____
36" X 96"	30		_____
48" X 48"	50		_____
48" X 60"	30		_____
48" X 72"	10		_____
48" X 96"	10		_____

MUTCD #	TYPE	SIZE	MIN. QTY	UNIT PRICE EACH
R-SERIES	SPEED AND MOVEMENT SERIES 4-COLORS (TYPE IX)	30"X30"	50	_____
R-SERIES	SPEED AND MOVEMENT SERIES 2-COLORS (TYPE IX)	36"X36"	50	_____
R-SERIES	SPEED AND MOVEMENT SERIES 3-COLORS (TYPE IX)	30"X36"	50	_____
W-SERIES	WARNING SERIES 2-COLORS (TYPE IV)	18"X18"	50	_____
D-3	STREET NAME 1- COLOR (TYPE XI)	48"X 9"	100	_____
W14-1P DEAD END ->	2-COLORS (TYPE IV)	36" X 8"	20	_____
W14-2P NO OUTLET ->	2-COLORS (TYPE IV)	36" X 8"	20	_____
STREET SIGN BRACKETS CANTILEVER FOR 14 2 A FLAT BLADES POWDER COATED BLACK			50	_____
	FOR 24" FLAT BLADES POWDER COATED BLACK		50	_____

Sign Installation Hardware Accessories

Description	Minimum Quantity	Unit Price
Chevron Brackets		
Adjustable Bracket for 24" x 30" signs	50	_____
Adjustable Bracket for 30" x 36" signs	50	_____
Street Sign Brackets		
#457 Universal Bracket for flat blades	50	_____
12" Adjustable Cross-Tee for flat blade street signs	100	_____
12" Adjustable Cap for U-Channel Post and flat blade sign	100	_____
VS-7 Cross, 6" blade holder Bolt thru bracket with BHP-766 vandal proof bolts	100	_____
VS-12 U-Channel Cap 180°	100	_____
VS-12 U-Channel Cap 90°	50	_____
BHP 76L 5/16" vandal proof bolts in quantity of 100	5	_____
BHP 4 TOOL FOR BHP 76L	20	_____
Cantilever		
for 14 2 A Flat Blades	50	_____
for 14 2 A Flat Blades with bolt thru security	50	_____
for 24" Flat Blades	50	_____
Overhead		
for 3/8" Cable no swing, standard mount VS-Swinger	50	_____

Decals

County Sign Maintenance Decal 500

City of Mobile Maintenance Decal 500

Accessories

Post Covers 3" x 72" (0,63)

Type XIF	Red
	XI Yellow
	F.Y.G
Type IV	White

DESCRIPTION	WIDTH	LENGTH	UNIT PRICE EACH
Electronic Cuttable Film 1170 NonPunche	36"	50 Yards	_____
3924S Fl. Orange DG Shtg WorkZone	36"	50 Yards	_____
3924S Fl. Orange DG Shtg WorkZone	48"	50 Yards	_____
3930 Wht High Intensity Prismatic	24"	50 Yards	_____
3930 Wht High Intensity Prismatic	30"	50 Yards	_____
3930 Wht High Intensity Prismatic	36"	50 Yards	_____
3930 Wht High Intensity Prismatic	48"	50 Yards	_____
3931 Yellow HIP (3930 Series)	24"	50 Yards	_____
3931 Yellow HIP (3930 Series)	30"	50 Yards	_____
3931 Yellow HIP (3930 Series)	36"	50 Yards	_____
3931 Yellow HIP (3930 Series)	48"	50 Yards	_____
3932 Red HIP (3930 Series)	30"	50 Yards	_____
3932 Red HIP (3930 Series)	36"	50 Yards	_____
3935 Blue HIP (3930 Series)	30"	50 Yards	_____
3935 Blue HIP (3930 Series)	36"	50 Yards	_____
3935 Blue HIP (3930 Series)	48"	50 Yards	_____
3937 Green HIP (3930 Series)	24"	50 Yards	_____
3937 Green HIP (3930 Series)	30"	50 Yards	_____
3937 Green HIP (3930 Series)	36"	50 Yards	_____

3937 Green HIP (3930 Series)	48"	50 Yards	_____
3939 Brown HIP (3930 Series)	30"	50 Yards	_____
3939 Brown HIP (3930 Series)	36"	50 Yards	_____
3939 Brown HIP (3930 Series)	48"	50 Yards	_____
4083 Fluorescent Ylw-Grn DG Cubed Refl	30"	50 Yards	_____
4083 Fluorescent Ylw-Grn DG Cubed Refl	36"	50 Yards	_____
4083 Fluorescent Ylw-Grn DG Cubed Refl	48"	50 Yards	_____
4084 Fluorescent Orange DG 3 Sheeting	36"	50 Yards	_____
4090 White DG Cubed Refl Shtg	24"	50 Yards	_____
4090 White DG Cubed Refl Shtg	30"	50 Yards	_____
4090 White DG Cubed Refl Shtg	36"	50 Yards	_____
4090 White DG Cubed Refl Shtg	48"	50 Yards	_____
4091 Yellow DG Cubed Refl Shtg	24"	50 Yards	_____
4091 Yellow DG Cubed Refl Shtg	30"	50 Yards	_____
4091 Yellow DG Cubed Refl Shtg	36"	50 Yards	_____
4091 Yellow DG Cubed Refl Shtg	48"	50 Yards	_____
4097 Green DG Cubed Refl Shtg	36"	50 Yards	_____
4097 Green DG Cubed Refl Shtg	48"	50 Yards	_____

As the supplier of the above materials, the following sheeting manufacturers will be used for each specific AType@, which has Alabama Department of Transportation approval.

Note: In the event there is no approved sheeting manufacturer for a AType@, please note "Type@ as NO APPROVED MANUFACTURE.

Manufacture to supply sign sheeting materials by Type:

Type IV - High Intensity, (unmetallized micro prismatic, RA values of Table 1)
Series # _____
Manufacturer: _____

Type VIII F-Super High Intensity, Flourescent
(unmetallized micro prismatic, RA values of Table 2)
Series #: _____
Manufacturer: _____

Type XI Super High Intensity, full cube -
(unmetallized micro prismatic, RA values of
Table 3)
Series #: _____
Manufacturer: _____

Type XII Super High Intensity, full cube - Flourescent
(unmetallized micro prismatic, RA values of
Table 3)
Series #: _____
Manufacturer: _____

Bidder agrees to use only the manufactured sheeting material as listed above. Any changes shall be granted only by Mobile County in writing prior to order being processed. Any attempt to use any different sheeting shall constitute fraud and the bidder shall collect, at bidder=s expense, all materials sent to Mobile County, paying all costs for the removal, if installed by Mobile County, and will forfeit their contract with Mobile County for this bid.

As Bidder, I Agree to all terms

Date _____ Signature _____

DECAL TEMPLATE

Decal shall measure approximately 3 in X 5 in, by 6 mils
 Sheeting Type I – Engineer Grade, Class 1 adhesive

YEARS	MONTHS						
							TR1
PROPERTY OF MOBILE COUNTY, ALABAMA WARNING IT IS UNLAWFUL TO REMOVE OR DEFACE ANY TRAFFIC CONTROL DEVICE PUNISHABLE BY FINE UP TO \$5000 AND/OR 12 MONTHS IN JAIL. REPORT ANY DAMAGE BY CALLING (251) 574-4030							TR2
							OTH
							RPR
							RPL
							NEW
DAYS 1-31							

DECAL/SIGN DATING/IDENTIFICATION

SIZE: 5.5" X 3" ON YELLOW HWY SIGN GRADE REFLECTIVE SCOTCHLITE SHEETING;
 BLACK IMPRINT, CURRENT YEARS TO BE APPROVED

CITY OF MOBILE
TRAFFIC ENGINEERING DEPARTMENT
852 GAYLE STREET
MOBILE ALABAMA 36604

WARNING

IT IS UNLAWFUL TO REMOVE OR DEFACE
AN OFFICIAL ROAD SIGN OR TRAFFIC
CONTROL DEVICE. PUNISHABLE BY FINE
AND/OR IMPRISONMENT.

REPORT DAMAGE BY CALLING (251) 208-5311
OR 311 (24 HOURS A DAY)

1	2	3	4	5	6
09		10		11	
12		13		14	
7	8	9	10	11	12