

MOBILE COUNTY COMMISSION

205 Government Street 8TH FL South
Mobile, Alabama 36644

BID INVITATION

NO. 63-26

JULY 17, 2026

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items:

ANNUAL TRAFFIC SIGN MATERIAL BID FOR MOBILE COUNTY PUBLIC WORKS AS PER ATTACHED SPECIFICATIONS:

NOTE: PRICES MUST REMAIN FIRM FROM OCTOBER 1, 2026 THROUGH SEPTEMBER 30, 2027.

Any questions or comments concerning the bid requirements must be brought to the attention of Susan Holland, Chief Procurement Officer, 205 Government Street, 8th FL South, Mobile, Alabama 36644, susan.holland@mobilecountyal.gov prior to the bid opening or will be forever waived.

Out of State Corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out of State limited liability companies shall furnish proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provide proof of enrollment in E-Verify prior to the award of a contract. (See enclosed notice which must be completed, signed and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at www.mobilecountyal.gov.


THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN, RELIGION, OR DISABILITIES.

F.O.B. Mobile DATE OF DELIVERY _____ TERMS _____ You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation therefrom must, in detail establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. AUGUST 19, 2026.

ALL BIDS MUST BE SEALED, "BID NUMBER, COMPANY'S NAME, AND NAME OF THE BID ITEM MARKED ON THE OUTSIDE OF THE ENVELOPE." THE BIDDER WILL RETURN THE ENTIRE BID PACKAGE. BIDS MUST BE DELIVERED TO THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET ON THE EIGHTH FLOOR SOUTH TOWER OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

MOBILE COUNTY COMMISSION



E. EDWIN KERR, COUNTY ADMINISTRATOR

We propose to meet the above specifications for the sum of

\$ see attached list.

Delivery can be made in _____ days from receipt of order.

RESPECTFULLY

BY _____



IMPORTANT

**THIS DOCUMENT MUST BE COMPLETED,
SIGNED AND RETURNED WITH YOUR BID**

As a condition for the award of a competitively bid contract to a company having one or more employees in the State of Alabama, the Beason-Hammon Alabama Taxpayer Citizenship and Protection Act, codified at Section 31-13-1, et seq., Code of Alabama (1975), as amended, requires that the company provide, in advance, proof of enrollment in E-Verify. E-Verify is an internet based system operated by the U.S. Department of Homeland Security, which may be used to determine the eligibility of new hires to work in the United States. Further information about enrollment in E-Verify may be found at www.dhs.gov/e-verify and www.alabama.gov.

As proof of enrollment in E-Verify, Mobile County requires a copy of the electronically signed signature page of the contractor's Memorandum of Understanding with the U.S. Department of Homeland Security or Alabama Department of Homeland Security (contractors having fewer than 25 employees may enroll in E-Verify through the state Department of Homeland Security).

Please complete the following and return with your bid:

_____ (company name) has no employees in the
State of Alabama

Or

_____ (company name) is enrolled in E-Verify and a
copy of the electronically signed signature page of the company's Memorandum of Understanding is
attached.

Date

Signature

Title

E-Verify



Company ID Number: 477783

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-484-4218.

Employer Mobile County Commission

Connie Hudson

Name (Please Type or Print)

Title

Electronically Signed

12/21/2011

Signature

Date

Department of Homeland Security - Verification Division

USCIS Verification Division

Name (Please Type or Print)

**SAMPLE
DOCUMENT**

Electronically Signed

12/21/2011

Signature

Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name: Mobile County Commission

Company Facility Address: 205 Government Street

8th Floor South Tower

Mobile, AL 36644

Company Alternate
Address:

County or Parish: MOBILE

Employer Identification
Number: 836001344

Date: _____

BID # 63-26

ANNUAL TRAFFIC SIGN MATERIAL BID FOR MOBILE COUNTY PUBLIC WORKS DEPARTMENT:

Name of Company: _____

Company Representative _____
(Print)

Company Representative _____
(Signature)

Address _____

Phone Number () _____ Fax Number() _____

Federal ID Number _____

Email Address _____

Company Web Address _____

Please attach a current W-9.

SPECIFICATIONS TRAFFIC SIGN MATERIALS

The following specifications shall apply to each item based on type of sign material composition.

A. Sheeting Material

All Sign Sheeting Materials used for all signs for Mobile County Traffic Department shall be in conformance with the ASTM Standard Specification for Reflective Sheeting for Traffic Control, D 4956-09, and approved manufactures of the sheeting Type materials shall be on the approved Alabama Department of Transportation products list for use and only for their "Type" category in which they were qualified.

Bidders will not be permitted to cross bid, (ie: Type IXF being bid as Type IV)

Sign sheeting materials used by Type:

Type IV - High Intensity, retroreflective sheeting,"microprismatic"

Type VIII — Super High Intensity, retroreflective sheeting (ASTM D 4956 Table 2), "microprismatic.

Type XI — Super High Intensity, unmetalized cube corner microprismatic retroreflective sheeting. (ASTM D 4956-09, Table 10)

Type VIII and Type XI reflective sheeting shall meet the minimum coefficients of retroreflection as described in ASTM D4956-09 for type VIII and type XI sheetings, respectively.

1. General characteristics and packaging. The signs supplied shall be of good appearance, free from ragged edges, cracks, and extraneous materials, and show careful workmanship with the messages and border sharply defined.
2. All signs must be protected with slip-sheeting and be packaged in quantities of 10 or less, (50 lbs. max.), with protective closed cell padding placed around outer surfaces.
3. The protective slip-sheeting shall be easily removable. The supplier will replace signs when removable liners will not separate easily from the sign.
4. All costs to return and replace any damaged and unusable signs shall be the sole responsibility of the suppliers.
5. All signs shall conform with the design, size, layout and color standards set by the Manual on Uniform traffic Control Devices, (MUTCD), or by Mobile County only under special request written orders. No other standard will be accepted and all costs, to replace the materials, including return shipping and replacement shipping, if requirements are not met, will be the sole responsibility of the bidder.
6. All bidders shall furnish a Material Performance Certification with their bid which certifies that all material furnished under this bid shall have performance life of not less than seven (7) years. Failure of their product within this stipulated period of time will result in the bidder replacing all material in kind in addition to reimbursing

Mobile County for all costs involved in the removal, refurnishing and reinstalling signs which are found to be defective.

7. The following abbreviations are used in the itemized sign descriptions:

- F - Fluorescent
- FY - Fluorescent Yellow
- FO - Fluorescent Orange
- FYG - Fluorescent Yellow Green

B. BLANK MATERIAL

All signs shall be made from the following specifications:

1. Material: Aluminum Alloy 5052-H38 .08 thickness unless otherwise noted

2. Mechanical Property Limits:

Tensile Strength - ultimate - 39.0 KSI

- yield - 32.0 KSI

Percentage Elongation in 2" - 4%

Chemical Composition Limits	- Silicon	.45%
	- Copper	.10%
	- Manganese	.10%
	- Magnesium	2.2% - 2.80%
	- Chromium	.15% - .35%
	- Zinc	.10%
	- Aluminum	Remainder

3. Fabrication:

**** Note:** Corner Radius for all street name signs shall be 1/2".**

3.1 All Mounting Holes for Sign Blanks shall meet the Design Standards of the Alabama Manual on Uniform Traffic Control Devices for "U" Channel Posts, punched with 3/8" diameter holes on 1" centers, unless otherwise specified by Mobile County.

4. A representative sample sign blank may be required before shipment of the order.

C. Sign Installation Hardware Accessories

- 1 All materials shall be made from high strength aluminum under 400 tons pressure. Tensile strength 45,000 PSI tumbled and de-greased for smoothness and ease of handling.
2. The brackets shall be provided with cadmium plated set screws Set screws must be able to secure signs in place with minimum 25 inch pounds of applied pressure
3. All brackets and caps shall be for U-Channel posts
4. All Hardware shall be appropriate for heavy-duty use

D. Decal Specifications

Shall be from high gloss, premium, enclosed glass bead lens, retroreflective, printable, polyester film with pressure sensitive permanent adhesive on back side protected by a release liner, the material shall be usable for screen printing application.

Decals shall be able to adhere to painted sign material listed elsewhere in these specifications under normal range of climate conditions expected for the environment of Mobile, Al and shall be good to excellent in dimensional stability and suitable for 2 yrs of service.

The decals shall be printed in contrasting, highly visible colors resistant to heat, chemicals, abrasion and sunlight, with the following information: (layout template attached)

- a. list of years, 2 digits, present through 5 years future,
- b. list of months, alpha/num
- c. list of days of months, 1-31
- d. list of installer - TR1, TR2, OTR
- e. list of work description- RPR, RPL, NEW
- f. statement "A Property of Mobile County, Alabama; **WARNING; IT IS UNLAWFUL TO REMOVE OF DEFACE ANY TRAFFIC CONTROL DEVICE; PUNISHABLE BY FINE UP TO \$5000 AND/OR 12 MONTHS IN JAIL; REPORT ANY DAMAGE BY CALLING 251-574-4030"**

E. DELIVERY OF MATERIAL

1. Shipment of materials will be to one of the following per each purchase authorization:

Mobile County Traffic Department
Attention: Mr. Vernon Lucious
1150 Schillinger Road North
Mobile AL 36608

City of Mobile
Traffic Engineering
852 Gayle St
Mobile, AL 36604

E. ITEMS TO BE BID ON

- 1 The following groups are listed Signs with Faces Mounted on Blanks (1 or 2 sided)
Blanks only (without the Sign Faces)
Sign Installation Hardware Accessories
Decals
2. All items on the bid will remain at the unit price each for the duration of the contract life.
3. Mobile County reserves the right to purchase any or all items bid and in any combination. Mobile County will order the minimums listed for each item, but may also order any amount over minimum listed.
4. The bidder selected shall be able to supply all items listed in this bid list.

F. CONTRACT LIFE

The life of this contract will be from October 1, 2026 through September 30, 2027. The bidder shall supply all items at the unit price listed for the life of the contract.

Joint Purchasing Agreement

This contract authorizes the City of Mobile to make purchases, if they so desire, in accordance with Section 41-16-50(b), and authorized by a joint purchasing agreement between the City of Mobile and Mobile County. All ordering, billing, and other transactions by the City of Mobile shall be the sole responsibility of the City of Mobile officials and, for the County of Mobile, be the sole responsibility of the County of Mobile. Mobile County is not responsible for any items within this contract that are purchased by the City of Mobile. The City of Mobile is solely responsible for the item(s) purchased and implemented by the City of Mobile.

THIS IS AN ALL OR NONE BID

Signs with Faces Mounted on Blanks

MUTCD#	TYPE	SIZE	MIN QTY	UNIT PRICE EA
R-SERIES RIGHT- OF- WAY SERIES				
R1-1 STOP	(TYPE XI)	30" X 30"	50	\$
R1-1 STOP	(TYPE XI)	36" X 36"	50	\$
R1-1 STOP	(TYPE XI)	48" X 48"	10	\$
R-SERIES RIGHT- OF- WAY SERIES				
R-1-2 YIELD	(TYPE XI)	30" X 30" X 30"	50	\$
R-1-2 YIELD	(TYPE XI)	36" X 36" X 36"	50	\$
R-SERIES SPEED & MOVEMENT SERIES				
2-COLORS	(TYPE XI)	18" X 6"	50	\$
2-COLORS	(TYPE IV)	36" X 12"	50	\$
2-COLORS	(TYPE IV)	24" X 18"	50	\$
2-COLORS	(TYPE IV)	24" X 24"	50	\$
2-COLORS	(TYPE IV)	24" X 30"	50	\$
2-COLORS	(TYPE IV)	24" X 36"	50	\$
2-COLORS	(TYPE XI)	24" X 36"	50	\$
2-COLORS	(TYPE IV)	30" X 30"	50	\$
2-COLORS	(TYPE XI)	30" X 30"	50	\$
2-COLORS	(TYPE IV)	30" X 36"	50	\$
2-COLORS	(TYPE XI)	30" X 36"	50	\$
2-COLORS	(TYPE IX)	36" X 36"	50	\$
3- COLORS	(TYPE IV)	30" X 30"	50	\$
3- COLORS	(TYPE XI)	30" X 30"	50	\$
3- COLORS	(TYPE IV)	24" X 30"	50	\$
3- COLORS	(TYPE XI)	24" X 30"	50	\$
3- COLORS	(TYPE IX)	36" X 36"	50	\$
4-COLORS	(TYPE IX)	30" X 30"	50	\$
R- SERIES PARKING RESTRICTION SERIES				
2-COLORS	(TYPE IV)	12" X 6"	20	\$
2-COLORS	(TYPE IV) (.63THICKNESS)	12" X 6"	20	\$
2-COLORS	(TYPE IV)	12" X 18"	20	\$
2-COLORS	(TYPE IV) (.63THICKNESS)	12" X 18"	20	\$
2-COLORS	(TYPE IV) (.63THICKNESS)	12" X 24"	20	\$
2-COLORS	(TYPE IV)	24" X 30"	20	\$
3- COLORS	(TYPE IV) (.63THICKNESS)	12" X 18"	20	\$

3- COLORS	(TYPE IV)	12" X 18"	20	\$
"MARDI-GRAS"	(TYPE IV)	12" X 24"	50	\$
3- COLORS	(.63THICKNESS)			
3- COLORS	(TYPE IV)	24" X 24"	20	\$
3- COLORS	(TYPE IV)	24" X 30"	20	\$
MUTCD#	TYPE	SIZE	MIN QTY	UNIT PRICE EA
M, D & I SERIES GUIDE SERIES				
2-COLORS	(TYPE IV)	21" X 15"	20	\$
2-COLORS	(TYPE IV)	24" X 6"	20	\$
2-COLORS	(TYPE IV)	24" X 30"	50	\$
2-COLORS	(TYPE IV)	30" X 36"	50	\$
2-COLORS	(TYPE IV)	48" X 30"	50	\$
2-COLORS	(TYPE IV)	60" X 30"	50	\$
2-COLORS	(TYPE IV)	72" X 36"	20	
MISCELLANEOUS SERIES				
N-W CRIME STOPPER 3- COLORS	(TYPE IV)	18" X 24"	25	\$
CD-1 EVACUATION RT 2- COLORS	(TYPE IV)	18" DIAMETER	25	\$
CD-1 R EVACUATION RT 2- COLORS	(TYPE IV)	18" DIAMETER	25	\$
CD-1 L EVACUATION RT 2- COLORS	(TYPE IV)	18" DIAMETER	25	\$
CD-1 STR EVACUATION RT 2-COLORS	(TYPE IV)	18" DIAMETER	25	\$
C- DRUG FREE SCHOOL ZONE 2-COLORS	(TYPE IV)	18" X 12"	25	\$
CV-28-B ADOPT-A-MILE 2- COLORS	(TYPE IV)	24" X 18"	25	\$
CV-28-B NEIGHBORHOOD WATCH 3-COLORS	(TYPE IV)	18" X 12"	25	\$
CV-28-B NEIGHBORHOOD WATCH 3-COLORS	(TYPE IV) (.63THICKNESS)	18" X 12"	25	\$
SPECIAL SCHOOL SIGN 3- COLORS	(TYPE XIFYG)	96" X 96"	2	\$
W-SERIES WARNING SERIES				
2-COLORS	(TYPE IV)	30" X 30"	50	\$
2-COLORS	(TYPE XI)	30" X 30"	50	\$
2-COLORS	(TYPE IV)	36" X 18"	50	\$
2-COLORS	(TYPE XI)	36" X 18"	50	\$
2-COLORS	(TYPE IV)	36" X 36"	50	\$
2-COLORS	(TYPE XIFY)	36" X 36"	50	\$
2-COLORS	(TYPE XIFY)	48" X 24"	50	\$

2-COLORS	(TYPE IV)	18" X 18"	50	\$
2-COLORS	(TYPE IV)	18" X 24"	50	\$
2-COLORS	(TYPE IV)	24" X 24"	50	\$
2-COLORS	(TYPE XIFY)	24" X 24"	50	\$
2-COLORS	(TYPE XIFY)	36" X 12"	50	\$
2-COLORS	(TYPE IV)	36" DIAMETER	50	\$
MUTCD#	TYPE	SIZE	MIN QTY	UNIT PRICE EA
W-SERIES WARNING SERIES				
2-COLORS	(TYPE XIFY)	36" DIAMETER	50	\$
2-COLORS	(TYPE IV)	36" X 48" X 48"	50	\$
3- COLORS	(TYPE IV)	36" X 36"	50	\$
4-COLORS	(TYPE VIIIIFY)	36" X 36"	50	\$
2-COLORS	(TYPE VIIIIFY)	36" X 36"	50	\$
W-SERIES WORK AREA WARNING SERIES				
2-COLORS	(TYPE VIIIFO)	30" X 30"	30	\$
2-COLORS	(TYPE IV)	60" X 36"	30	\$
2-COLORS	(TYPE VIIIFO)	60" X 36"	30	\$
2-COLORS	(TYPE VIIIFO,	60" X 30"	30	\$
2-COLORS	(TYPE IV)	60" X 24"	30	\$
2-COLORS	(TYPE VIIIFO)	60" X 24"	30	\$
2-COLORS	(TYPE VIIIFO)	48" X 48"	30	\$
2-COLORS	(TYPE VIIIFO)	48" X 30"	30	\$
2-COLORS	(TYPE VIIIFO)	36" X 18"	30	\$
2-COLORS	(TYPE VIIIFO)	24" X 12"	30	\$
2-COLORS	(TYPE VIIIFO)	24" X 18"	30	\$
2-COLORS	(TYPE VIIIFO)	30" X 24"	30	\$
2-COLORS	(TYPE VIIIFO)	48" X 18"	30	\$
MISCELLANEOUS				
W-SERIES W1-8 CHEVRON ALIGNMENT 2-COLORS	(TYPE XIFY)	24" X 30"	30	\$
W-SERIES W1-8 CHEVRON ALIGNMENT 2-COLORS	(TYPE XIFY)	30" X 36"	30	\$
S-SERIES SCHOOL AREA SERIES 2-COLORS	(TYPE XIFYG)	36" X 36"	30	\$
S-SERIES SCHOOL AREA SERIES 2-COLORS	(TYPE XIFYG)	24" X 30"	30	\$
S-SERIES SCHOOL AREA SERIES 2-COLORS	(TYPE XIFYG)	24" X 8"	30	\$
S-SERIES SCHOOL AREA SERIES 2-COLORS	(TYPE XIFYG)	24" X 10"	30	\$
S-SERIES SCHOOL AREA SERIES 2-COLORS	(TYPE XIFYG)	24" X 48"	30	\$
TYPE I OBJECT MARKERS	INCLUDING NINE REFLECTORS (TYPE IV)	18" X 18"	50	\$
TYPE II OBJECT MARKERS	WITHOUT REFLECTORS (TYPE IV)	6" X 12"	50	\$

TYPE III OBJECT MARKERS 2-COLORS	WITH 4" DIAGONAL STRIPES (TYPE XIFY)	12" X 36"	50	\$
TYPE III BARRICADE PANEL 2-COLORS	WITH 6" DIAGONAL STRIPES (TYPE XIFO)	96" X 10"	30	\$

STREET NAME SIGNS WITH FACES ON TWO SIDES

MUTCD#	TYPE	SIZE	MIN QTY	UNIT PRICE EA
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI)	18" X 48'	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI) (.10 THICKNESS)	12" X 48"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI)	18" X 60"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI) (.10 THICKNESS)	12" X 60"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI)	18" X 72"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI) (.10 THICKNESS)	12" X 72"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI)	18" X 96"	20	\$
D-3 OVERHEAD STREET NAME 2-COLORS	(TYPE XI) (.10 THICKNESS)	12" X 96"	20	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	42" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI) (.10 THICKNESS)	42" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	36" X 8"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	36" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI) (.10 THICKNESS)	36" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	30" X 8"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	30" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI) (.10 THICKNESS)	30" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	24" X 8"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	24" X 9"	100	\$
D-3 STREET NAME 1-COLOR	(TYPE XI)	48" X 9"	100	\$
W14-1P DEAD END 2-COLORS	(TYPE IV)	36" X 8"	20	\$

W14-1P DEAD END 2-COLORS	(TYPE IV)	36" X 12"	20	\$
R6-1 ONE WAY 2-COLORS	(TYPE IV) ONE LEFT ARROW AND ONE RIGHT ARROW ON OPPOSITE SIDES	36" X 12"	20	\$
W14-2P NO OUTLET 2-COLORS	(TYPE IV)	36" X 8"	20	\$
W14-2P NO OUTLET 2-COLORS	(TYPE IV)	36" X 12"	20	\$

BLANKS ONLY

SIZE	MIN QTY	SPECIAL NOTE	UNIT PRICE EA
4" X 18"	20	(NO HOLES, 1 2 A RADIUS)	\$
4" X 24"	20	(NO HOLES, 1 2 A RADIUS)	\$
4" X 30"	20	(NO HOLES, 1 2 A RADIUS)	\$
4" X 36"	20	(NO HOLES, 1 2 A RADIUS)	\$
6" X 12"	20		\$
8" X 18"	20		\$
8" X 24"	20		\$
8" X 30"	20		\$
8" X 36"	20		\$
9" X 12"	20		\$
9" X 18"	20		\$
9" X 24"	20		\$
9" X 30"	20		\$
9" X 36"	20		\$
10" X 18"	20		\$
10" X 24"	20		\$
10" X 30"	20		\$
10" X 36"	20		\$
10" X 96"	30		\$
12" X 18"	20		\$
12" X 24"	20		\$
12" X 30"	20		\$
12" X 36"	20		\$
12" X 48"	20		\$
12" X 72"	10		\$
12" X 96"	30		\$
18" X 18"	30	(NO HOLES)	\$

18" X 18"	30	(DIAMOND-WITH 9 HOLES)	
SIZE	MIN QTY	SPECIAL NOTE	UNIT PRICE EA
18" X 24"	20		\$
18" X 30"	20		\$
18"X36"	20		\$
18" X 48"	20		\$
18" X 60"	20		\$
18" X 72"	10		\$
18" X 96"	10		\$
24" X 24"	50		\$
24" X 30"	50		\$
24" X 36"	50		\$
24" X 48"	30		\$
24" X 60"	30		\$
24" X 96"	30		\$
30" X 30"	50		\$
30" X 36"	50		\$
30" X 48"	30		\$
30" X 60"	20		\$
30" X 96"	30		\$
36" X 36"	50		\$
36" X 42"	20		\$
36" X 48"	30		\$
36" X 60"	30		\$
36" X 72"	10		\$
36" X 96"	30		\$
48" X 48"	50		\$
48" X 60"	30		\$
48" X 72"	10		\$
48" X 96"	10		\$

SIGN INSTALLATION HARDWARE ACCESSORIES

DESCRIPTION	MIN QUANTITY	UNIT PRICE EA
CANTILEVER FOR 14 2 A FLAT BLADES POWDER COATED BLACK	50	\$
CANTILEVER FOR 14 2 A FLAT BLADES	50	\$
CANTILEVER FOR 14 2 A FLAT BLADES WITH BOLT THRU SECURITY	50	\$
CANTILEVER FOR 24" FLAT BLADES	50	\$
CANTILEVER FOR 24" FLAT BLADES POWDER COATED BLACK	50	\$
CHEVRON BRACKETS ADJUSTABLE BRACKET FOR 24" X 30" SIGNS	50	\$
CHEVRON BRACKETS ADJUSTABLE BRACKET FOR 30" X 36" SIGNS	50	\$
STREET SIGN BRACKETS #457 UNIVERSAL BRACKET FOR FLAT BLADES	50	\$
STREET SIGN BRACKETS 12" ADJUSTABLE CROSS-TEE FOR FLAT BLADE STREET SIGNS	100	\$
STREET SIGN BRACKETS 12" ADJUSTABLE CAP FOR U-CHANNEL POST AND FLAT BLADE SIGN	100	\$
STREET SIGN BRACKETS VS-7 CROSS, 6" BLADE HOLDER BOLT THRU BRACKET WITH BHP-766 VANDAL PROOF BOLTS	100	\$
STREET SIGN BRACKETS VS-12 U-CHANNEL CAP 180°	100	\$
STREET SIGN BRACKETS VS-12 U-CHANNEL CAP 90°	50	\$
STREET SIGN BRACKETS BHP 76L 5/16" VANDAL PROOF BOLTS IN QUANTITY OF 100	5	\$
STREET SIGN BRACKETS BHP 4 TOOL FOR BHP 76L	20	\$
STREET SIGN BRACKETS OVERHEAD FOR 3/8" CABLE NO SWING, STANDARD MOUNT	50	\$
STREET SIGN BRACKETS OVERHEAD VS-SWINGER	50	\$
DECALS		
COUNTY SIGN MAINTENANCE DECAL	500	\$
CITY OF MOBILE MAINTENANCE DECAL	500	\$
ACCESSORIES		
POST COVERS 3" X 72" (0.63) TYPE XIF RED		\$
POST COVERS 3" X 72" (0.63) TYPE XI YELLOW		\$
POST COVERS 3" X 72" (0.63) F.Y.G		\$
POST COVERS 3" X 72" (0.63) TYPE IV WHITE		\$
SIGN POST S29 SIGNPOST GALVANIZED 3.0 LB/FT-10'		\$
SIGN POST S30 SIGNPOST GALVANIZED 3.0LB/FT-12'		\$

SIGN POST GALVANIZED 2.0 LB/FT-8FT "U" CHANNEL		\$
SIGN POST GALVANIZED 2.0 LB/FT-10FT "U" CHANNEL		\$
SIGN POST GALVANIZED 2.0 LB/FT-12FT "U" CHANNEL		\$
SIGN POST GALVANIZED 2.0 LB/FT-14FT "U" CHANNEL		\$
DELINEATOR-GALVANIZED-1.12 LB/FT-6FT		\$

DESCRIPTION	WIDTH	LENGTH	UNIT PRICE EACH
ELECTRONIC CUTTABLE FILM 1170 NONPUNCHE	36"	50 YARDS	\$
3924S FL ORANGE DG SHTG WORKZONE	36"	50 YARDS	\$
3924S FL ORANGE DG SHTG WORKZONE	48"	50 YARDS	\$
3930 WHT HIGH INTENSITY PRISMATIC	24"	50 YARDS	\$
3930 WHT HIGH INTENSITY PRISMATIC	30"	50 YARDS	\$
3930 WHT HIGH INTENSITY PRISMATIC	36"	50 YARDS	\$
3930 WHT HIGH INTENSITY PRISMATIC	48"	50 YARDS	\$
3931 YELLOW HIP (3930 SERIES)	24"	50 YARDS	\$
3931 YELLOW HIP (3930 SERIES)	30"	50 YARDS	\$
3931 YELLOW HIP (3930 SERIES)	36"	50 YARDS	\$
3931 YELLOW HIP (3930 SERIES)	48"	50 YARDS	\$
3937 GREEN HIP (3930 SERIES)	24"	50 YARDS	\$
3937 GREEN HIP (3930 SERIES)	30"	50 YARDS	\$
3937 GREEN HIP (3930 SERIES)	36"	50 YARDS	\$
3937 GREEN HIP (3930 SERIES)	48"	50 YARDS	\$
WHITE ENG (3920 SERIES)	24"	50 YARDS	\$
WHITE ENG (3920 SERIES)	30"	50 YARDS	\$
WHITE ENG (3920 SERIES)	36"	50 YARDS	\$
WHITE ENG (3920 SERIES)	48"	50 YARDS	\$
RED ENG (3920 SERIES)	30"	50 YARDS	\$
RED ENG (3920 SERIES)	36"	50 YARDS	\$
BLUE ENG (3920 SERIES)	30"	50 YARDS	\$
BLUE ENG (3920 SERIES;	36"	50 YARDS	\$
YELLOW ENG (3920 SERIES)	30"	50 YARDS	\$
YELLOW ENG (3920 SERIES)	36"	50 YARDS	\$
BROWN ENG (3920 SERIES)	30"	50 YARDS	\$
BROWN ENG (3920 SERIES)	36"	50 YARDS	\$
ORANGE ENG (3920 SERIES)	30"	50 YARDS	\$
ORANGE ENG (3920 SERIES)	36"	50 YARDS	\$
GREEN ENG (3920 SERIES)	30"	50 YARDS	\$
GREEN ENG (3920 SERIES)	36"	50 YARDS	\$
4083 FLUORESCENT YLW-GRN DG CUBED REFL	30"	50 YARDS	\$
4083 FLUORESCENT YLW-GRN DG CUBED REFL	36"	50 YARDS	\$
4083 FLUORESCENT YLW-GRN DG CUBED REFL	48"	50 YARDS	\$
4084 FLUORESCENT ORANGE DG 3 SHEETING	36"	50 YARDS	\$
4090 WHITE DG CUBED REFI SHEETING	24"	50 YARDS	\$
4090 WHITE DG CUBED REFI SHEETING	30"	50 YARDS	\$
4090 WHITE DG CUBED REFI SHEETING	36"	50 YARDS	\$
4090 WHITE DG CUBED REFI SHEETING	48"	50 YARDS	\$
4091 YELLOW DG CUBED REFI SHEETING	24"	50 YARDS	\$
4091 YELLOW DG CUBED REFI SHEETING	30"	50 YARDS	\$
4091 YELLOW DG CUBED REFI SHEETING	36"	50 YARDS	\$
4091 YELLOW DG CUBED REFI SHEETING	48"	50 YARDS	\$

4097 GREEN DG CUBED REFI SHEETING	36"	50 YARDS	\$
4097 GREEN DG CUBED REFI SHEETING	48"	50 YARDS	\$
BLACK 7725 SERIES WITH CLEAR BACKING	24"	50 YARDS	\$
BLACK 7725 SERIES WITH CLEAR BACKING	30"	50 YARDS	\$
BLACK 7725 SERIES WITH CLEAR BACKING	36"	50 YARDS	\$
BLACK 7725 SERIES WITH CLEAR BACKING	48"	50 YARDS	\$
BLACK 7725 SERIES WITH CLEAR BACKING	60"	50 YARDS	\$
DESCRIPTION			
AVERY BRAND SHEETING HIP			
WHITE T6500	30"	50 YARDS	\$
WHITE T6500	36"	50 YARDS	\$
WHITE T6500	48"	50 YARDS	\$
YELLOW T6501	30"	50 YARDS	\$
YELLOW T6501	36"	50 YARDS	\$
YELLOW T6501	48"	50 YARDS	\$
FL ORANGE T7514	36"	50 YARDS	\$
FL ORANGE T7514	48"	50 YARDS	\$
TYPE XI			
WHITE T11500	30"	50 YARDS	\$
WHITE T11500	36"	50 YARDS	\$
WHITE T11500	48"	50 YARDS	\$
YELLOW T11501	30"	50 YARDS	\$
YELLOW T11501	36"	50 YARDS	\$
YELLOW T11501	48"	50 YARDS	\$
FL YELLOW GREEN (SCHOOL) T11513	36"	50 YARDS	\$
LAMINATOR OL1000	30"	50 YARDS	\$
LAMINATOR OL1000	36"	50 YARDS	\$
LAMINATOR OL1000	48"	50 YARDS	\$
SIGN BLANKS			
STOP SIGN BLANKS	30"	EACH	\$
	36"	EACH	\$
	48"	EACH	\$
YIELD SIGN BLANKS	30"	EACH	\$
	36"	EACH	\$
BLANK SIGN	42" X 9"	MIN QTY 20	\$