

**MOBILE COUNTY COMMISSION**

205 Government Street 8<sup>TH</sup> FL South  
Mobile, Alabama 36644

BID INVITATION

NO. 86-24

APRIL 18, 2024

In accordance with General Act No. 217, Special Session 1967, notice is hereby given that the Mobile County Commission, Mobile, Alabama, will receive bids on the following items: **ANNUAL ASPHALT REJUVENATOR MATERIALS BID FOR MOBILE COUNTY PUBLIC WORKS AS PER ATTACHED SPECIFICATIONS:**

**NOTE: PRICES MUST REMAIN FIRM FROM THE DATE OF AWARD THROUGH SEPTEMBER 30, 2025.**

Any questions or comments concerning the bid requirements must be brought to the attention of Susan Holland, Purchasing Agent, 205 Government Street, 8<sup>th</sup> FL South, Mobile, Alabama 36644, [susan.holland@mobilecountyal.gov](mailto:susan.holland@mobilecountyal.gov) prior to the bid opening or will be forever waived.

All bidders shall furnish a five percent (5%) bid bond on any contract exceeding \$30,000.00: provided that bonding is available for services, equipment or materials. Bid bond will be accepted in the form of a certified check, cashier's check, or postal money order, etc.

Out of State Corporations shall furnish a Certificate of Authority to transact business in the State of Alabama. Out of State limited liability companies shall furnish proof of registration to transact business in this state. Alabama law requires that a successful bidder, if it has employees in the State of Alabama, provide proof of enrollment in E-Verify prior to the award of a contract. (See enclosed notice which must be completed, signed and returned with your bid.)

If applicable to a contract resulting from this invitation, the successful bidder must comply with the Contractor Felony Investigation Policy, available in the Purchasing Department or at [www.mobilecountyal.gov](http://www.mobilecountyal.gov).

**THE MOBILE COUNTY COMMISSION DOES NOT DISCRIMINATE ON THE BASIS OF RACE, AGE, SEX, NATIONAL ORIGIN, RELIGION, OR DISABILITIES.**

F.O.B. Mobile DATE OF DELIVERY \_\_\_\_\_ TERMS \_\_\_\_\_ You are invited to bid on the above specifications. The restrictions contained herein are for the purpose of fixing a quality level, and any deviation therefrom must, in detail establish that it meets the quality requirements.

BIDS WILL BE RECEIVED UNTIL 10:00 A.M. MAY 8, 2024.

**ALL BIDS MUST BE SEALED, "BID NUMBER, COMPANY'S NAME, AND NAME OF THE BID ITEM MARKED ON THE OUTSIDE OF THE ENVELOPE." THE BIDDER WILL RETURN THE ENTIRE BID PACKAGE. BIDS MUST BE DELIVERED TO THE RECEPTIONIST IN THE OFFICE OF THE COUNTY COMMISSION ADMINISTRATOR, 205 GOVERNMENT STREET ON THE EIGHTH FLOOR SOUTH TOWER OF THE MOBILE COUNTY GOVERNMENT PLAZA. FAILURE TO OBSERVE THE ABOVE INSTRUCTIONS WILL CONSTITUTE GROUNDS FOR REJECTION OF YOUR BID. THE COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.**

MOBILE COUNTY COMMISSION



EDDIE KERR, INTERIM COUNTY ADMINISTRATOR

We propose to meet the above specifications for the sum of

\$ see attached list.

Delivery can be made in \_\_\_\_\_ days from receipt of order.

RESPECTFULLY

BY \_\_\_\_\_





Company ID Number: 477783

To be accepted as a participant in E-Verify, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 888-454-4218.

Employer Mobile County Commission

Connie Hudson

Name (Please Type or Print)

Title

Electronically Signed

12/21/2011

Signature

Date

Department of Homeland Security – Verification Division

USCIS Verification Division

Name (Please Type or Print)

Title

Electronically Signed

12/21/2011

Signature

Date

Information Required for the E-Verify Program

Information relating to your Company:

Company Name: Mobile County Commission

Company Facility Address: 205 Government Street

8th Floor South Tower

Mobile, AL 36684

Company Alternate Address:

County or Parish: MOBILE

Employer Identification

Number: 536001644

Date: \_\_\_\_\_

BID # 86-24

**ANNUAL ASPHALT REJUVENATOR MATERIALS BID FOR MOBILE COUNTY PUBLIC WORKS  
DEPARTMENT:**

Name of Company: \_\_\_\_\_

Company Representative \_\_\_\_\_  
(Print)

Company Representative \_\_\_\_\_  
(Signature)

Address \_\_\_\_\_  
\_\_\_\_\_

Phone Number ( ) \_\_\_\_\_ Fax Number( ) \_\_\_\_\_

Federal ID Number \_\_\_\_\_

Email Address \_\_\_\_\_

Company Web Address \_\_\_\_\_

**Please attach a current W-9.**

## ASPHALT REJUVENATOR MATERIAL BID SPECIFICATIONS

The asphalt rejuvenating emulsion shall be composed of a bio-base product uniformly mixed with water and equipment to continuously mix. Each bidder must submit with their bid a certified statement from the rejuvenator manufacturer showing that the rejuvenating emulsion is non-carcinogenic (both concentrate and diluted form) and conforms to the requirements below:

| <b>Table 1. Asphalt Rejuvenator Emusifiable Concentrate Requirements</b>  |                              |                     |
|---|------------------------------|---------------------|
| <b>Property</b>   | <b>Test Method</b>           | <b>Requirements</b> |
| Bio-Based Content, %  | ASTM D-6866                  | 90 min              |
| Viscosity 77°F, s   | ASTM D-4212 Zahn #2          | 15-35               |
| Flash, COC, °F  | ASTM D-92                    | 200 min             |
| Specific Gravity  | ASTM E-100-17                | 0.86-0.90           |
| Residual, w%  | ASTM 244 (Mod <sup>1</sup> ) | 64-72               |
| Polymer content, %  |                              | 5 min               |
| pH  |                              | 7 max               |
| *Odor   |                              | Pine/Citrus         |
| *Appearance   |                              | Clear/Amber         |
| <sup>1</sup> ASTM 244 Evaporation Test for percent residue is modified by heating a 50 gram sample to 149°C (300°F) for 2 hours, then calculating results |                              |                     |

| <b>Table 2. Asphalt Rejuvenator Emulsion Requirements</b>  |                              |                     |
|--|------------------------------|---------------------|
| <b>Property</b>  | <b>Test Method</b>           | <b>Requirements</b> |
| Bio-Based Content, %   | ASTM D-6866                  | 90 min              |
| Viscosity 77°F, s  | ASTM D-4212 Zahn #2          | 10-25               |
| Specific Gravity   | ASTM E-100-17                | 0.92-0.95           |
| Residual, w%   | ASTM 244 (Mod <sup>1</sup> ) | 25-35               |
| Appearance   |                              | Milky/White         |
| <sup>1</sup> ASTM 244 Evaporation Test for percent residue is performed by heating a 50 gram sample to 100°C for 2 hours while agitating, then raising the temperature to 149°C (300°F) for an additional hour, and calculating results. |                              |                     |
| *Water dilution shall be performed with potable water 1:1 by volume adding water to the concentrate  |                              |                     |

The rejuvenating agent shall have a record of satisfactory service as an emulsified asphalt rejuvenating agent and in-depth sealer. Satisfactory service shall be based on the capability of the material to decrease the viscosity of the asphalt binder as follows. The viscosity shall be reduced by a minimum of 25% for pavements less than or equal to 3 years old and 40% for pavements greater or equal to 4 years old. The rejuvenating agent shall not harm pavement striping so restriping is not required.

The bidder must submit with his bid the manufacturer's certification that the material proposed for use is in compliance with the concentrated rejuvenating agent requirements and the diluted emulsion requirements.

The bid submittal must include documentation of previous use and test data conclusively demonstrating that the rejuvenation product has been used successfully; and that the construction joint rejuvenation product has been proven to perform in a manner equivalent to above performance specification, through third party testing and/or agency use showing the required change in the recovered asphalt binder properties.

BID PRICE

BID #86-24

DELIVERY SHOULD BE FOB CAMP I  
1150 SCHILLINGER ROAD NORTH  
MOBILE, AL. 36608

MINIMUM ORDER 500 GAL.

| TYPE                             | COST |
|----------------------------------|------|
| ASPHALT REJUVENATOR EMULSIFIABLE | \$   |
| ASPHALT REJUVENATOR EMULSION     | \$   |
|                                  |      |